

ZeroTurn

2018 Mower Comparison Chart

RIDERS

MODEL	Horsepower	Cooling	Forward Speed	Fuel Capacity in Gallons	Belt/PTO	Width at Rear Wheels in Inches	Total Width in Inches	Wheel Base in Inches	Overall Length in Inches	Curb Clearance in Inches	Unit Weight	Width of Cut in Inches	Height of Cut in Inches
Altoz XR 480, 540	22 - 23	Air	8	5	Belt	20	49 - 55	N/A	77	N/A	740 - 770	48 - 54	1.5 - 4.5
Altoz XE 480, 540, 610	24 - 27	Air	10	10	Belt	22 - 23	49 - 62	N/A	80	N/A	910 - 1035	48 - 61	1.5 - 4.5
Altoz XP 540, 610, 660	27 - 33	Air	11	14	Belt	24	67 - 85.75	N/A	85 - 91	8.5	1275 - 1400	54 - 72	5
Altoz XC 610, 720	31 - 37	Air	19	14	Belt	26	62 - 73	N/A	85.5 - 89	N/A	1420 - 1520	61 - 72	1.5 - 5
Altoz TRX 610 - 660	33 - 37	Air	10	14	Belt	11	68	N/A	96 - 99	N/A	1550 - 1650	61 - 66	1.5 - 5.5
Big Dog Alpha Kawasaki FR651-FR730	21.5 - 24	Air	7.5	3	Belt	N/A	38.3 - 61.7	N/A	73	N/A	586 - 685	36 - 54	1.5 - 4.5
Big Dog BLACKJACK Kohler 7000 PRO	25	Air	7	3	Belt	N/A	54.8	N/A	69.4	N/A	765	54	1.5 - 4.5
Big Dog STOUT Kawasaki FR691-FX730	23	Air	8	5	Belt	N/A	49.1 - 61.1	N/A	73.6 - 75.9	N/A	835 - 885	48 - 60	1.5 - 4.5
Big Dog DIABLO Kawasaki FX850	27	Air	10.5	11.7	Belt	N/A	54.4	N/A	82.75	N/A	1244	52	1 - 5.5
Big Dog Trooper Kawasaki F5541	15	Air	8	6.5	Belt	N/A	36.3	N/A	63.5	N/A	910	36	1.5 - 5.5
Bobcat CRZ	N/A	Air	7	6	Belt	41 - 46	43 - 63	48 - 51	80 - 81	N/A	684 - 795	42 - 61	1.5 - 4.875
Bobcat XRZ/XRZ Pro	N/A	Air	8	6	Belt	46 - 47	49 - 63	48	80	N/A	736 - 795	48 - 61	1.5 - 4.875
Bobcat XRZ Pro RS	N/A	Air	10	9.5	Belt	47 - 50	49 - 63	48	80	N/A	875 - 930	48 - 61	1.5 - 4.875
Bobcat Quickcat	N/A	Air	9 - 10.5	5.1 - 6.5	Belt	35 - 50	35.5 - 63	48 - 50	64 - 67	N/A	775 - 953	36 - 61	1.5 - 4.5
Bobcat FastCat Pro SE/RS	N/A	Air	8 - 10	9.5	Belt	36 - 50	37 - 54	47 - 53	80	N/A	705 - 1000	36 - 52	1 - 4.875
Bobcat ProCat RS	N/A	Air	11.5	14	Belt	52 - 53	54 - 63	51 - 55	82 - 85	N/A	1210 - 1270	52 - 61	1 - 4.75
Bobcat Predator-Pro	N/A	Air	12.5	14	Belt	53 - 57	63 - 74	55 - 56	85 - 86	N/A	1325 - 1465	61 - 72	1 - 5.5
Country Clipper Avenue	18 - 23	Air	7	5	Belt	43 - 45	54 - 67	N/A	80	N/A	587 - 635	42 - 54	1.5 - 4.5
Country Clipper Boulevard	23	Air	7.5	5	Belt	47 - 49	58 - 74	N/A	79	N/A	688 - 722	48 - 60	1.5 - 4.5
Country Clipper XLT	24 - 26	Air	8	5	Belt	47 - 49	61 - 73	N/A	79	N/A	798 - 846	48 - 60	2 - 5
Country Clipper Challenger	24 - 25	Air	9	7	Belt	49	65 - 73	N/A	79	N/A	861 - 875	52 - 60	2 - 5
Country Clipper Charger	25.5 - 26.5	Air	10.5	7	Belt	51	65 - 73	N/A	84	N/A	1081 - 1096	52 - 60	2 - 5
Dixie Chopper Zee 2 Z342KO	23	Air	7	4	Belt	N/A	51.5	N/A	76	N/A	730	42	1.5 - 4.5
Dixie Chopper Magnum R 2450KW	24	Air	8	8	Belt	N/A	61	N/A	80	N/A	730	50	1.5 - 4.5
Dixie Chopper Magnum R 2560KO	25	Air	8	8	Belt	N/A	71	N/A	80	N/A	750	60	1 - 5
Dixie Chopper BlackHawk 2248KW	22	Air	9	6.8	Belt	N/A	49.2	N/A	81.3	N/A	1104	48	1 - 5
Dixie Chopper BlackHawk HP	25	Air	10	6.8	Belt	N/A	61.9	N/A	81.3	N/A	1144	60	1 - 5
Dixie Chopper Eagle HP 3160KOE	31	Air	14	10	Belt	N/A	66.1	N/A	87.1	N/A	1378	60	1 - 5
Dixie Chopper Classic 2750KW	27	Air	12	8	Belt	N/A	55.5	N/A	77.5	N/A	1074	50	1 - 5
Dixie Chopper Classic 3160KW	31	Air	12	10	Belt	N/A	65.5	N/A	78	N/A	1228	60	1 - 5
Dixie Chopper Xcaliber 3160KOE	31	Air	13	12	Belt	N/A	65	N/A	85	N/A	1390	60	1 - 5
Dixie Chopper Xcaliber 3674BR	36	Air	13	12	Belt	N/A	76	N/A	86	N/A	1482	74	1 - 5
Encore Edge EE48FR691V32	23	Air	10	9.5	Belt PTO	47	60w/deflector	50.5	77.5	6.375	920	48	1.5 - 4.5
Encore Caliber EC52FX730V3	23.5	Air	12	14	Belt PTO	49.5	65w/deflector	48.75	78	4.75	1080	52	1 - 5.25
Encore Dart ED34FS600V	18	Air	8	6	Belt PTO	33.5	45w/deflector	43	73	4.125	770	34	1 - 4.5
Encore Fuzion F34K20	18	Air	8	6	Belt PTO	33.5	41.5w/deflector	43	73	4.125	720	34	1 - 4.5
Encore Prowler 61K28A3	28	Air	10	10	Shaft Drive	57	73w/deflector	48.25	82	1210	61	1 - 5	1 - 5
Exmark Lazer Z E-Series	N/A	N/A	8 - 10	8	N/A	N/A	64.8 - 72.8	N/A	83.1	N/A	N/A	52 - 60	1 - 5.5
Exmark Lazer Z S-Series	N/A	N/A	10	12	N/A	N/A	59.6 - 84.9	N/A	86.1	N/A	1142 - 1305	48 - 72	1 - 5.5
Exmark Lazer Z X-Series	N/A	N/A	11.5	12	N/A	N/A	72.8	N/A	83.1	N/A	1215	60	1 - 5.5
Exmark Navigator Series	N/A	N/A	7	7.5	N/A	N/A	43.2 - 49.2	N/A	94.5	N/A	1140 - 1170	42 - 48	1 - 4
Exmark Radius S-Series	N/A	N/A	9	7	N/A	N/A	59.5 - 72.3	N/A	82.2	N/A	873 - 941	48 - 60	1.5 - 5
Ferris IS600Z Series	18.5 - 25	Air	8 - 10	5.5	Electric	45.75	59 - 67	N/A	80	N/A	922 - 972	44 - 52	1.5 - 4.5
Ferris IS700Z Series	23 - 27	Air	10	5.5	Electric	51 - 52.63	66.75 - 75.75	N/A	81	N/A	1059	52 - 61	1.5 - 5
Ferris IS2100Z Series	29.5	Air	10	5.5/11	Electric	50 - 56.25	67 - 78	N/A	82.5	N/A	1223	52 - 61	1.5 - 5
Ferris IS2600Z Series	24	Air	10	5.5/11	Electric	50 - 56.25	76.5	N/A	88	N/A	1606	52 - 61	1.75 - 5
Ferris IS3200Z Series	32 - 37	Air	12	5.5/11	Electric	60.75	76.75 - 85.75	N/A	84.5	N/A	1443	61 - 72	1.5 - 5
Grasshopper 124-41 - 225-61	N/A	Air	7.5 - 9	3 - 12	Belt	N/A	44 - 64	47 - 49.5	76 - 80	N/A	660 - 1070	41 - 61	1 - 5
Grasshopper 227V EFI-52/61	N/A	Air	9 - 9.5	12	Belt	N/A	55 - 64	47 - 49.5	76.5 - 79	N/A	980 - 1050	52 - 61	1 - 5
Grasshopper 327EFI-61/327EFI-72	N/A	Air	10.5	12	Belt	N/A	64 - 75	51.5 - 55	79.5 - 83	N/A	1190 - 1280	61 - 72	1 - 5
Grasshopper 329B-52 - 335B-72	N/A	Air	10 - 10.5	12	Belt	N/A	55 - 75	50 - 55	78 - 83	N/A	1140 - 1280	52 - 72	1 - 5
Grasshopper 321D-48 - 325D-72	N/A	Liquid	10 - 10.5	12	Belt	N/A	51 - 75	51 - 56	80 - 86	N/A	1210 - 1450	48 - 72	1 - 5
Grasshopper 329-52 - 432-72	N/A	Liquid	10 - 11	12	Belt	N/A	55 - 75	51 - 58	81 - 88	N/A	1310 - 1500	52 - 72	1 - 5
Grasshopper 623T w/ 52	N/A	Air	8.5	4	PTO	12.5	55	46	100	N/A	1120	48 - 52	1.25 - 5
Grasshopper 725KT w/ 52 w/72	N/A	Air	9 - 10	7.2	PTO	12.5	55 - 75	51.5	117.5	N/A	1260 - 1475	52 - 72	1.25 - 5
Grasshopper 729T6 w/ 61	N/A	Liquid	9 - 10	7.2 - 8	PTO	36	55 - 64	51.5	107.5	N/A	1335 - 1420	52 - 72	1.25 - 5
Grasshopper 900D 1.3L, 932 w/ 72	N/A	Liquid	11	7.2	PTO	36	75	54.5	120.5	N/A	1645	52 - 72	1.25 - 5
Gravely Pro-Turn 400	27 - 35	Air	13	33.5	Belt	N/A	67.75 - 87.25	N/A	80 - 82	N/A	1326 - 1579	52 - 72	1 - 5.5
Gravely Pro-Turn 100	22 - 25	N/A	10	10	Belt	N/A	62 - 75	N/A	78.6	N/A	1044 - 1098	48 - 60	1.5 - 5.5
Gravely Pro-Turn	23 - 25	N/A	9	10	Belt	N/A	62.25 - 75.25	N/A	78.5	N/A	1002 - 1061	48 - 60	1.5 - 5
Gravely ZT X	24 - 25	N/A	7	2.8	Belt	N/A	54.2 - 63.4	N/A	77.5	N/A	605 - 635	42 - 52	1.5 - 4.5
Gravely Compact-Pro	15.5 - 19	N/A	8 - 9	7.3 - 9.4	Belt	N/A	35.4 - 46.8	N/A	71.5	N/A	725 - 800	34 - 44	1 - 5
Gravely Pro-Turn 148/152 Kawasaki FX	22	Air	10	10	Belt	N/A	62 - 67.5	N/A	78.5	N/A	1062 - 1079	48 - 52	1.5 - 5.5
Gravely Pro-Turn 260 Yamaha MX V-Twin	27.5	Air	13	13.4	Belt	N/A	75	N/A	80	N/A	1,355	60	1.5 - 5.5

2018 Mower Comparison Chart

RIDERS MODEL

	Horsepower	Cooling	Forward Speed	Fuel Capacity in Gallons	Belt/PTO	Width at Rear Wheels in Inches	Total Width in Inches	Wheel Base in Inches	Overall Length in Inches	Curb Clearance in Inches	Unit Weight	Width of Cut in Inches	Height of Cut in Inches
Gravely Pro-Turn 452 Kawasaki FX	27	Air	13	13.4	Belt	N/A	67.5	N/A	80	N/A	1,326	52	1 - 5.5
Husqvarna M-ZT 52 B&S Endurance	26	Air	10	5	N/A	54	67	N/A	75.5	N/A	706	52	1.5 - 4.5
Husqvarna M-ZT 61 Kawasaki	23	Air	10	5	N/A	62.3	76	N/A	75.5	N/A	790	61	1.5 - 4.5
Husqvarna M-ZT 61 Kohler	27	Air	10	5	N/A	62.3	76	N/A	75.5	N/A	790	61	1.5 - 4.5
Husqvarna Z554 Kawasaki FX751V	24.5	N/A	12	12	N/A	N/A	N/A	N/A	N/A	N/A	1215	54	1 - 5
Husqvarna Z560 Kohler Pro EFI	27	N/A	12	12	N/A	N/A	N/A	N/A	N/A	N/A	1172	60	1 - 5
Husqvarna Z554X Kawasaki FX801V	25.5	N/A	12	12	N/A	N/A	N/A	N/A	N/A	N/A	1322	54	1 - 5
Husqvarna Z554X Kohler Pro EFI	27	N/A	12	12	N/A	N/A	N/A	N/A	N/A	N/A	1322	54	1 - 5
Husqvarna Z560X Kawasaki FX850V	31	N/A	12	12	N/A	N/A	N/A	N/A	N/A	N/A	1398	60	1 - 5
Husqvarna Z572X Kawasaki FX921V	31	N/A	12	12	N/A	N/A	N/A	N/A	N/A	N/A	1448	72	1 - 5
Hustler Raptor	19 - 23	Air	6.5	3	Belt	38.3 - 41	37.3 - 53.4	N/A	73	N/A	450 - 505	36 - 52	1.5 - 4.5
Hustler Raptor Limited	23	Air	6.5	3	Belt	45	53.4	N/A	73	N/A	533	52	1.5 - 4.5
Hustler Raptor FlipUp	25	Air	7	3	Belt	43.7	48.8 - 54.8	N/A	69.4	N/A	755 - 770	48 - 54	1.5 - 4.5
Hustler FasTrak Rear Discharge	23	Air	8	5	Belt	47 - 52	48.85 - 54.85	N/A	73.6	N/A	840 - 860	48 - 54	1.5 - 4.5
Hustler X-ONE Rear Discharge	23.5	Air	10.5	11.7	Belt	51 - 54.5	55.75 - 61.72	N/A	86.25	N/A	1265 - 1292	54 - 60	1 - 5.5
Hustler Super Z	27 - 35	Air	14	12	Belt	57 - 60	60 - 78	N/A	86.7	N/A	1451 - 1631	54 - 72	1 - 5.5
Hustler Super Z HyperDrive	36 - 37	Air	16	12	Belt	57 - 60	66 - 78	N/A	86.7	N/A	1536 - 1596	60 - 72	1 - 5.5
Hustler Z Diesel	25	Liquid	11.5	14.4	Belt	56	66 - 78	N/A	90.4	N/A	1656 - 1711	60 - 72	1 - 5.5
Jacobsen ZT400 2248KW	22	Air	9	6.8	Belt	N/A	49.2	N/A	81.3	N/A	1104	48	1.0 - 5
Jacobsen ZT600 2248KW	22	Air	10	6.8	Belt	N/A	49.2	N/A	81.3	N/A	1116	48	1.5 - 4.5
Jacobsen ZT600 2548KOE	25	Air	10	6.8	Belt	N/A	49.2	N/A	81.3	N/A	1121	48	1.0 - 5
Jacobsen ZT900 2754KOE	27	Air	12	8	Belt	N/A	59.6	N/A	88.5	N/A	1317	54	1.0 - 5
Jacobsen ZT1000 3160KOE	31	Air	14	10	Belt	N/A	66.1	N/A	87.1	N/A	1378	60	1.0 - 5
Jacobsen ZT1000 3566KW	35	Air	14	10	Belt	N/A	72.5	N/A	87.1	N/A	1409	66	1.0 - 5
Jacobsen ZT1000 2972KOE	29	Air	14	7	Belt	N/A	78.7	N/A	89	N/A	1408	72	1.0 - 5
John Deere Z915E ZTrak	25	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1100 - 1178	48 - 60	1 - 5.5
John Deere Z920M	23.5	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1220 - 1283	48 - 60	1 - 5.5
John Deere Z925M EFI Flex Fuel	25	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1198 - 1291	54 - 60	1 - 5.5
John Deere Z930M	25.5	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1275 - 1365	54 - 60	1 - 5.5
John Deere Z945M EFI	27	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1275 - 1365	60	1 - 5.5
John Deere Z955M EFI	29	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1275 - 1365	60 - 72	1 - 5.5
John Deere Z960M	31	Air	10	11.5	V-belt	N/A	N/A	N/A	84	N/A	1252 - 1340	60 - 72	1 - 5.5
John Deere Z930R	25.5	Air	12	11.5	V-belt	N/A	N/A	N/A	84	N/A	1273 - 1310	54 - 60	1 - 5.5
John Deere Z950R	27	Air	12	11.5	V-belt	N/A	N/A	N/A	84	N/A	1292 - 1340	60 - 72	1 - 5.5
John Deere Z970R	35	Air	12	11.5	V-belt	N/A	N/A	N/A	84	N/A	1336 - 1345	60 - 72	1 - 5.5
Lastec 4520	45	Liquid	9	18	Belt	71	132	68	90	4.5	2,708	120	1 - 4.5
Lastec 3300	33	Liquid	9	12	Belt	63	112	67	85	4.5	2,142	100	1 - 4.5
Lastec 2561D	24.8	Liquid	10	12	Belt	58	73	64	80	6	1513	61	1.5 - 4.5
Lastec 2773C / 3873C	27 - 38	Air	10	12	Belt	58	73	64	80	6	1598	73	1.5 - 4.5
Scag Turf Tiger II Kohler Command EFI	26	Air	12	12	PTO	51 - 56	64.5 - 83	N/A	83 - 92	N/A	1420 - 1600	52 - 72	1 - 6
Scag Turf Tiger II Kawasaki DFI	25 - 31	Liquid	12	12	PTO	56	73.5 - 83	N/A	88 - 92	N/A	1510 - 1575	61 - 72	1 - 6
Scag Turf Tiger Kubota Diesel	25	Liquid	12	11	PTO	56	73.5 - 83	N/A	87.5 - 90	N/A	1665 - 1725	61 - 72	1 - 6
Scag Turf Tiger II Briggs Vanguard	35 - 37	Air	12	12	PTO	56	73.5 - 83	N/A	88 - 92	N/A	1515 - 1575	61 - 72	1 - 6
Scag Cheetah Kohler/Kawasaki	22 - 35	Air	10.5-16/13	10 - 16	Belt	46.25 - 55.25	60.5 - 83	N/A	81.75 - 92	N/A	1075 - 1400	48 - 72	1 - 6
Scag Freedom Z Kawasaki/Briggs	22 - 24	Air	8	6.5	Belt	47.5	60.5 - 64.5	N/A	73	N/A	745 - 765	48 - 52	1 - 4.5
Snapper S50xt Series	19 - 25	Air	8	4/8	Electric	36.5	52.64	N/A	69	N/A	688 - 724	36 - 48	1.5 - 4.5
Snapper S125xt Series	23 - 27	Air	10	5.5	Electric	51 - 53	67.5	N/A	81	N/A	1059	52 - 61	1.5 - 5
Snapper S150xt Series	23.5	Air	10	10	Electric	47	68	N/A	78	N/A	1141	52	1.5 - 5
Snapper S200xt Series	26 - 37	Air	10	11	Electric	57.25	76	N/A	79	N/A	1190	61 - 72	1.5 - 6
Toro TITAN HD 2000 Series Kohler 74463	25	Air	9	7	Belt	N/A	63.25 - 75.25	N/A	82 - 84.25	N/A	870 - 1012	48 - 60	1.5 - 5
Toro TITAN HD 2500 Series Kawasaki	20.5 - 23.5	Air	10	7	Belt	N/A	63.25 - 75.25	N/A	82 - 83	N/A	937 - 1006	48 - 60	1.5 - 5
Toro Z Master 3000 Series Kohler	25	Air	8.5	8	Belt	N/A	67.6	N/A	79.2	N/A	1085	52	1.5 - 5
Toro Z Master 3000 Series Kawasaki	25.5	Air	10	8	Belt	N/A	75.7	N/A	83.1	N/A	1165	60	1.5 - 5
Toro Z Master 5000 Series Kohler EFI	23 - 26.5	Air	10	12	Belt	N/A	63.6 - 78.3	N/A	79.2 - 83	N/A	1120 - 1335	48 - 72	1.5 - 5
Toro Z Master 6000 Series Kawasaki (CARB)	23.5	Air	10 - 11.5	12	Belt	N/A	63.6 - 87.6	N/A	79.2 - 86.1	N/A	1160 - 1334	48 - 72	1.5 - 5
Toro Z Master 6000 Series Kohler EFI	26.5 - 34	Air	11.5	12	Belt	N/A	75.7 - 87.6	N/A	83.1 - 86.1	N/A	1254 - 1369	60 - 72	1.5 - 5
Toro Z Master 7500-D Yanmar	37	Liquid	12.5	12.5	Belt	N/A	75.7 - 87.6	N/A	100.68	N/A	2055 - 2650	60 - 96	1.5 - 5
Walker S14i	14	Air	6.5	1.9	Manual Belt	N/A	43.25	42.25	87	N/A	786	36 - 42	1 - 4
Walker T23/T25i	23 - 25	Air	6.5	4.7	Manual Belt	N/A	49	41	93	N/A	1014 - 1018	36 - 74	1 - 4
Walker T30i	30	Liquid	7	4.7	Manual Belt	N/A	49	41	93	N/A	1117	36 - 74	1 - 4
Walker D21d	20	Liquid	6.5	4.7	Manual Belt	N/A	49	41	93	N/A	1178	36 - 74	1 - 4
Walker B18/B19	18 - 19	Air	8	4	Manual Belt	N/A	49	42.25	90.75	N/A	790 - 792	36 - 62	1 - 4
Walker B23i/B25p	23 - 25	Air	8	4 - 7.9	Manual Belt	N/A	49	42.25	90.75	N/A	800 - 831	36 - 74	1 - 4
Walker H24d/H27i/H38i	23.4 - 38	Liquid/Air	10	9.4	Manual Belt	N/A	66	46.375	107	N/A	1215 - 1463	52 - 74	1 - 5
World Lawn Cobra WYZ4824KWH	23.5	Air	10	9.5	Belt PTO	49.5	73w/ deflector	50.5	77.5	6.375	1020	60	1.5 - 4.5
World Lawn Viper WYRZ46XS20BS	27	Air	12	14	Belt PTO	50	65w/ deflector	48.75	78	5	1050	52	1 - 5.25
World Lawn Diamondback WYDB48FR6	22	Air	10	9.5	Belt PTO	49.5	73w/ deflector	50.5	77.5	6.375	1020	60	1.5 - 4.5
World Lawn Gater WYZ34FS600V	18	Air	8	6	Belt PTO	33.5	45w/deflector	43	73	4.125	560	34	1 - 4.5
Wright Z (with ROPS) 48	25.5	Air	13	13.5	Belt	48	49	N/A	78	N/A	1190	48	1.5 - 5.5
Wright Z (with ROPS) 61	25.5 - 27	Air	13	13.5	Belt	56	62	N/A	78	N/A	1235	61	1.5 - 5.5
Wright ZTO (with ROPS) 48	22	Air	10.5	13.5	Belt	48	49	N/A	78	N/A	1080	48	1.5 - 5.5
Wright ZTO (with ROPS) 52	22 - 23.5	Air	10.5	13.5	Belt	48	53	N/A	78	N/A	1100	52	1.5 - 5.5
Wright ZTO (with ROPS) 61	23.5	Air	10.5	13.5	Belt	48	62	N/A	78	N/A	1160	61	1.5 - 5.5

ZeroTurn

2018 Mower Comparison Chart

STANDERS

MODEL	Horsepower	Width of Cut in Inches	Height of Cut in Inches	Forward Speed in Inches	Cooling	Fuel Capacity	Overall Length in Inches
Dixie Chopper Stryker 2548KWE	25	48	1.5 - 5	3.1	Air	6 gal	70.5
Dixie Chopper Stryker 2548KWE	25	54	1.5 - 5	3.5	Air	6 gal	70.5
Exmark Vantage S-Series	N/A	36 - 60	1.0 - 5	8	Air	8 gal	74 - 75
Gravely Pro-Stance 36FL Kawasaki FS V-Twin	18.5	36	1.5 - 5	8	Air	6 gal	59.5
Gravely Pro-Stance 48FL Kawasaki FX V-Twin	22	48	1.5 - 5	9	Air	9 gal	60.63
Gravely Pro-Stance 52FL Kawasaki FX V-Twin	22	52	1.5 - 5	9	Air	9 gal	60.63
Gravely Pro-Stance 52FL Kohler ZT	23	52	1.5 - 5	9	Air	9 gal	60.63
Gravely Pro-Stance 52FL Kohler EFI	22	52	1.5 - 5	9	Air	9 gal	60.63
Gravely Pro-Stance 60FL Kawasaki FX V-Twin	23.5	60	1.5 - 5	9	Air	9 gal	62
Gravely Pro-Stance 60FL Kohler EFI	25	60	1.5 - 5	9	Air	9 gal	62
Hustler Super S	15 - 25	36 - 60	1 - 5	9	Air	6.5 - 7.3 gal	63.5 - 66.5
Jacobsen Pro Series SZT 2548	25	48	1.5 - 5	8	Air	6 gal	79
John Deere 636M	18.5	36	1.25 - 5	8.2	Forced Air	5.5 gal	62
John Deere 648M	22	48	1.25 - 5	8.2	Forced Air	5.5 gal	59.75
John Deere 652M	22	52	1.25 - 5	8.2	Forced Air	5.5 gal	59.75
John Deere 648R	22	48	1.5 - 5	9.6	Forced Air	5.6 gal	66
John Deere 652R	23.5	52	1.5 - 5	9.6	Forced Air	5.6 gal	66
John Deere 652R EFI	20	52	1.5 - 5	9.5	Forced Air	5.6 gal	66
John Deere 661R	23.5	61	1.5 - 5	9.6	Forced Air	5.6 gal	68
John Deere 661R EFI	25	61	1.5 - 5	9.6	Forced Air	5.6 gal	68
John Deere 652E	22	52	1.25 - 5	9.5	Forced Air	5.6 gal	66
Toro GrandStand 74534	15	36	1 - 5	8	Air	7.8 gal	74
Toro GrandStand 74536	15	40	1 - 5	8	Air	7.8 gal	70
Toro GrandStand 74504 (79504 CARB)	22	48	1.5 - 5	10	Air	10.5 gal	75
Toro GrandStand 74505 (79505 CARB)	22	52	1.5 - 5	10	Air	10.5 gal	75
Toro GrandStand 74518 (79518 CARB)	23	48	1.5 - 5	10	Air	10.5 gal	75
Toro GrandStand 74519	25	52	1.5 - 5	10	Air	10.5 gal	75
Toro GrandStand 74513	25	60	1.5 - 5	10	Air	10.5 gal	79
Toro GrandStand MULTI FORCE 74523	26.5	60	1.5 - 5	10	Air	10.5 gal	79
Toro GrandStand MULTI FORCE 74529	26.5	52	1.5 - 5	10	Air	10.5 gal	75
Toro GrandStand MULTI FORCE 74527 (snow-only machine)	26.5	N/A	1.5 - 5	10	Air	10.5 gal	75
Wright WS32	15, 18, 20.2	32 - 36	1.75 - 4.5	7.5	Air	5.5 gal	58 - 60
Wright WS48	15, 19, 23.5	48	1.25 - 5	9.5	Air	5.5 gal	59.25
Wright WSS2	15, 19, 23.5	52	1.25 - 5	9.5	Air	5.5 gal	59.875
Wright WS61	15, 19, 23.5	61	1.25 - 5	9.5	Air	5.5 gal	62.5
Wright WSTN36/48/52	18.5, 19 - 23.5	36 - 53	1.5 - 5	8.2	Air	5.5 gal.	62
Wright WSPN 36/48/52	18.5, 19 - 23.5	36.5 - 12.25	1.5 - 5	8.2	Air	5.5 gal.	72.25 - 74
Wright WSTX48/52/61	23.5, 26.5, 28	48 - 61	1.5 - 5.5	9.5	Air	8.0 gal	49 - 62
Wright WSPX 48/52/61	23.5	49 - 62	1.5 - 5.5	9.5	Air	8.0 gal	67.25 - 69.25
Wright WSZK52/61/72	27, 29, 37	53 - 73	1.5 - 5.5	12.5	Air	15.5 gal.	67 - 72

Research conducted by Sean Lajoie, Irrigation Association, seanlajoie@irrigation.org