

ZERO-TURN MOWERS

Model	Horsepower	Cooling	Forward Speed (mph)	Fuel Capacity (gallons)	Belt/PTO	Width at Rear Wheels (inches)	Total Width (inches)	Wheel Base (inches)	Overall Length (inches)	Unit Weight (pounds)	Width of Cut (inches)	Height of Cut (inches)
Altoz XR 480, 540	22-23	air	8	5	belt	20	49-55	n/a	77	740-770	48-54	1.5-4.5
Altoz XE 480, 540, 610	24-27	air	10	10	belt	22-23	49-62	n/a	80	910-1,035	48-61	1.5-4.5
Altoz XP 540, 610, 660, 720	27-35	air	11	14	belt	24	55-72	n/a	85-91	1,275-1,400	54-72	5
Altoz XC 610, 720	31-37	air	19	14	belt	26	62-73	n/a	85.5-89	1,420-1,520	61-72	1.5-5
Altoz TRX 354, 561, 766	33-37	air	10	14	belt	11	55-67	n/a	96-99	1,220-1,650	61-66	1.5-7
BigDog Alpha Kawasaki FR541	15	air	6.5	3	belt	n/a	38.3	n/a	73	465	36	1.5-4.5
BigDog Alpha Kawasaki FR600	18	air	6.5	3	belt	n/a	44.4	n/a	73	495	42	1.5-4.5
BigDog Alpha Kawasaki FR691	23	air	6.5	3	belt	n/a	53.4	n/a	73	515	52	1.5-4.5
BigDog Alpha MP Kawasaki FR651	21.5	air	7.5	3	belt	n/a	37.3	n/a	73	577	36	1.5-4.5
BigDog Alpha MP Kawasaki FR651	21.5	air	7.5	3	belt	n/a	44.4	n/a	73	587	42	1.5-4.5
BigDog Alpha MP Kawasaki FR651	21.5	air	7.5	3	belt	n/a	49.7	n/a	73	625	48	1.5-4.5
BigDog Alpha MP Kawasaki FR691	23	air	7.5	3	belt	n/a	55.7	n/a	73	650	54	1.5-4.5
BigDog Alpha MP Kawasaki FR730	24	air	7.5	3	belt	n/a	61.7	n/a	73	670	60	1.5-4.5
BigDog Blackjack Kohler 7000 Series PRO	25	air	7	3	belt	n/a	48.8	n/a	69.4	750	48	1.5-4.5
BigDog Blackjack Kohler 7000 Series PRO	25	air	7	3	belt	n/a	54.8	n/a	69.4	765	54	1.5-4.5
BigDog Stout Kawasaki FR691	23	air	8	5	belt	47	49.1	n/a	76	855	48	1.5-4.5
BigDog Stout Kawasaki FR691	23	air	8	5	belt	52	55.1	n/a	76	860	54	1.5-4.5
BigDog Stout Kawasaki FR730	24	air	8	5	belt	52	61.1	n/a	76	880	60	1.5-4.5
BigDog Stout MP Kawasaki FX691	22	air	9	5	belt	47	49.1	n/a	73.6	862	48	1.5-4.5
BigDog Stout MP Kawasaki FX691	22	air	9	5	belt	52	55.1	n/a	73.6	891	54	1.5-4.5
BigDog Stout MP Kawasaki FX730	23.5	air	9	5	belt	52	61.1	n/a	73.6	916	60	1.5-4.5
BigDog Diablo Kawasaki FX850	27	air	10.5	11.7	belt	n/a	54.4	n/a	80.2	1,255	52	1-5.5
BigDog Diablo Kawasaki FX850	27	air	10.5	11.7	belt	n/a	62.4	n/a	80.2	1,306	60	1-5.5
BigDog Diablo Kawasaki FX850	27	air	10.5	11.7	belt	n/a	75.7	n/a	84	1,465	72	1-5.5
BigDog Diablo MP Kawasaki FX850	27	air	14	12	belt	n/a	65.3	n/a	89	1,460	60	1-5.5
BigDog Diablo MP Kawasaki FX1000	35	air	14	12	belt	n/a	65.3	n/a	89	1,475	60	1-5.5
BigDog Diablo MP Kawasaki FX1000	35	air	14	12	belt	n/a	75.3	n/a	93	1,590	72	1-5.5
BigDog Hike Kawasaki FS481	14.5	air	6.3	3.4	belt	35	38	n/a	75	565	36	1.5-4.5
BigDog Hike Kawasaki FS541	15	air	6.3	3.4	belt	46.75	51	n/a	75	640	48	1.5-4.5
BigDog Hike Kawasaki FS600	18.5	air	6.3	3.4	belt	46.75	56.5	n/a	76.1	665	54	1.5-4.5
BigDog Hike Kawasaki FS 691 (ES)	23	air	6.3	3.4	belt	46.75	56.5	n/a	76.1	700	54	1.5-4.5
Bob-Cat CRZ	21.5-23	air	7	6	belt	41-46	43-63	48-51	80-81	684-795	42-61	1.5-4.875
Bob-Cat XRZ/XRZ Pro	20.5-24	air	8	6	belt	46-47	49-63	48	80	736-817	48-61	1.5-4.875
Bob-Cat XRZ Pro RS	20.5-23.5	air	10	9.5	belt	47-50	49-63	48	80	773-832	48-61	1.5-4.875
Bob-Cat QuickCat	n/a	air	9-10.5	5.1-6.5	belt	35-50	35.5-63	48-50	64-67	775-953	36-61	1.5-4.5
Bob-Cat FastCat Pro SE	16.5-19	air	8-10	9.5	belt	36-50	37-54	47-53	80	705-744	36-42	1-4.875
Bob-Cat ProCat RS	n/a	air	11.5	14	belt	52-53	54-63	51-55	82-85	1,210-1,270	52-61	1-4.75
Bob-Cat Predator-Pro RS	n/a	air	12.5	14	belt	53-57	63-74	55-56	85-86	1,325-1,465	61-72	1-5.5
Bob-Cat Predator-Pro 7000	35	air	19	15	belt	56	63-74	54-56	86-88	1,500-1,659	61-72	1-5.5
Bob-Cat ProCat 6000MX	27	air	12	15	belt	53	63	53	84	1,464-1,517	61	1-5.5
Bob-Cat ProCat 6000	23.5-25.5	air	12	15	belt	53	54-63	53	83	1,371-1,477	52-61	1-5.5
Bob-Cat ProCat 5000	23.5-26	air	10	11	belt	49-53	49-63	53	83	1,253-1,318	48-61	1-5.5
Country Clipper Avenue	18, 23	air	7	5	belt	43, 45	54, 67	n/a	80	587-635	42, 54	1.5-4.5
Country Clipper Boulevard	23	air	7.5	5	belt	47, 49	58, 67, 74	n/a	79	688-722	48, 54, 60	1.5-4.5
Country Clipper XLT	24, 26	air	8	5	belt	47, 49	61, 65, 73	n/a	79	798-846	48, 54, 60	2-5
Country Clipper Challenger	24, 25	air	9	7	belt	49	65, 73	n/a	79	861-875	52, 60	2-5
Country Clipper Charger	25.5, 26.5	air	10.5	7	belt	51	65, 73	n/a	84	1,081-1,096	52, 60	2-5
Country Clipper Boss XL	27, 35	air	12.5	11	belt	59	73, 85	n/a	83, 84	1,257-1,371	60, 72	2-5
Dixie Chopper Zee 2 2342KO*	23	air	7	4	belt	n/a	51.5	n/a	76	730	42	1.5-4.5
Dixie Chopper Zee 2 2348KO*	23	air	7	4	belt	n/a	57.5	n/a	76	750	48	1.5-4.5
Dixie Chopper Zee 2 2348KW*	23	air	7	4	belt	n/a	57.5	n/a	76	750	48	1.5-4.5
Dixie Chopper Zee 2 2354KO*	23	air	7	4	belt	n/a	64	n/a	76	763	54	1.5-4.5
Dixie Chopper Zee 2 2354KW*	23	air	7	4	belt	n/a	64	n/a	76	763	54	1.5-4.5
Dixie Chopper Magnum R 2450KW*	24	air	8	8	belt	n/a	61	n/a	80	730	50	1.5-4.5
Dixie Chopper Magnum R 2554KO*	25	air	8	8	belt	n/a	61	n/a	80	730	50	1.5-4.5
Dixie Chopper Magnum R 2460KW*	24	air	8	8	belt	n/a	71	n/a	80	750	60	1.5-4.5
Dixie Chopper Magnum R 2560KW*	25	air	8	8	belt	n/a	71	n/a	80	750	60	1-5
Dixie Chopper BlackHawk 2248KW*	22	air	9	6.8	belt	n/a	49.2	n/a	81.3	1,104	48	1-5
Dixie Chopper BlackHawk 2454KW*	24	air	9	6.8	belt	n/a	55.4	n/a	81.3	1,114	54	1-5
Dixie Chopper BlackHawk 2460KW*	24	air	9	6.8	belt	n/a	61.9	n/a	81.3	1,121	60	1-5
Dixie Chopper BlackHawk HP 2248KW*	22	air	10	6.8	belt	n/a	49.2	n/a	81.3	1,116	48	1.5-4.5
Dixie Chopper BlackHawk HP 2548KW*	25	air	10	6.8	belt	n/a	49.2	n/a	81.3	1,121	48	1-5
Dixie Chopper BlackHawk HP 2454KW*	24	air	10	6.8	belt	n/a	55.4	n/a	81.3	1,132	54	1-5
Dixie Chopper BlackHawk HP 2554KOE*	25	air	10	6.8	belt	n/a	55.4	n/a	81.3	1,138	54	1-5
Dixie Chopper BlackHawk HP 2460KW*	24	air	10	6.8	belt	n/a	61.9	n/a	81.3	1,140	60	1-5
Dixie Chopper BlackHawk HP 2560KOE*	25	air	10	6.8	belt	n/a	61.9	n/a	81.3	1,144	60	1-5
Dixie Chopper Eagle 2754KOE*	27	air	12	8	belt	n/a	59.6	n/a	88.5	1,317	54	1-5
Dixie Chopper Eagle 2754KW*	27	air	12	8	belt	n/a	59.6	n/a	88.5	1,306	54	1-5
Dixie Chopper Eagle 2760KOE*	27	air	12	8	belt	n/a	66.1	n/a	88.5	1,333	60	1-5
Dixie Chopper Eagle 2760KW*	27	air	12	8	belt	n/a	66.1	n/a	88.5	1,322	60	1-5
Dixie Chopper Eagle HP 3160KOE*	31	air	14	10	belt	n/a	66.1	n/a	87.1	1,378	60	1-5
Dixie Chopper Eagle HP 3160KW*	31	air	14	10	belt	n/a	66.1	n/a	87.1	1,386	60	1-5
Dixie Chopper Eagle HP 3366KOE*	33	air	14	10	belt	n/a	72.5	n/a	87.1	1,403	66	1-5
Dixie Chopper Eagle HP 3566KW*	35	air	14	10	belt	n/a	72.5	n/a	87.1	1,409	66	1-5
Dixie Chopper Eagle HP 3372KOE*	33	air	14	10	belt	n/a	78.7	n/a	89	1,442	72	1-5

MOWER COMPARISON CHART

ZERO-TURN MOWERS

Model	Horsepower	Cooling	Forward Speed (mph)	Fuel Capacity (gallons)	Belt/PTO	Width at Rear Wheels (inches)	Total Width (inches)	Wheel Base (inches)	Overall Length (inches)	Unit Weight (pounds)	Width of Cut (inches)	Height of Cut (inches)
Dixie Chopper Eagle HP 3572KW*	35	air	14	10	belt	n/a	78.7	n/a	89	1,426	72	1-5
Dixie Chopper Classic 2750KW*	27	air	12	8	belt	n/a	55.5	n/a	77.5	1,074	50	1-5
Dixie Chopper Classic 2760KW*	27	air	12	8	belt	n/a	65.5	n/a	77.5	1,134	60	1-5
Dixie Chopper Classic 3160KOE*	31	air	12	10	belt	n/a	65.5	n/a	78	1,228	60	1-5
Dixie Chopper Classic 3160KW*	31	air	12	10	belt	n/a	65.5	n/a	78	1,228	60	1-5
Dixie Chopper Classic 3572KOE*	35	air	13	12	belt	n/a	76	n/a	79	1,425	72	1-5
Dixie Chopper Classic 3572KW*	35	air	13	12	belt	n/a	76	n/a	79	1,425	72	1.5-5
Dixie Chopper Classic 3672BR*	36	air	13	12	belt	n/a	76	n/a	79	1,425	72	1.5-5
Dixie Chopper Xcaliber 3160KOE*	31	air	13	12	belt	n/a	65	n/a	85	1,390	60	1.5-5
Dixie Chopper Xcaliber 3160KW*	31	air	13	12	belt	n/a	65	n/a	85	1,390	60	1.5-5
Dixie Chopper Xcaliber 3366KOE*	33	air	13	12	belt	n/a	72	n/a	85	1,445	66	1.5-5
Dixie Chopper Xcaliber 3566KW*	35	air	13	12	belt	n/a	72	n/a	85	1,445	66	1.5-5
Dixie Chopper Xcaliber 3574KOE*	35	air	13	12	belt	n/a	76	n/a	86	1,482	74	1.5-5
Dixie Chopper Xcaliber 3574KW*	35	air	13	12	belt	n/a	76	n/a	86	1,482	74	1.5-5
Dixie Chopper Xcaliber 3674BR*	36	air	13	12	belt	n/a	76	n/a	86	1,482	74	1.5-5
Encore Arrow EA4XS22KW	21.5	air	7	4	belt, PTO	33.8	55 w/ D	44	72	544	46	1.5-4.5
Encore Arrow EA50XL24KW	23	air	7	4	belt, PTO	33.8	59 w/ D	44	72	590	50	1.5-4.5
Encore Arrow EA60XL24KW	23	air	7	4	belt, PTO	33.8	68.5 w/ D	44	72	637	60	1.5-4.5
Encore Fuzion F34K20	18	air	8	6	belt, PTO	33.5	41.5 w/ D	43	73	720	34	1-4.5
Encore Fuzion F42K20	18	air	8	6	belt, PTO	38	53 w/ D	43	73	750	42	1-4.5
Encore Dart ED34FS600V	18	air	8	6	belt, PTO	33.5	45 w/ D	43	73	770	34	1-4.5
Encore Edge EE48FR691V32	23	air	9	9.5	belt, PTO	47	60 w/ D	50.5	77.4	920	48	1.5-4.75
Encore Edge EE52FR691V32	23	air	9	9.5	belt, PTO	49.5	65.5 w/ D	50.5	77.4	950	52	1.5-4.75
Encore Edge EE60FR730V32	24	air	9	9.5	belt, PTO	49.5	73 w/ D	50.5	77.4	1,020	60	1.5-4.75
Encore Edge EE52FX691V34	22	air	10	9.5	belt, PTO	49.5	65.5 w/ D	50.5	77.4	950	52	1.5-4.75
Encore Edge EE60FX730V34	23.5	air	10	9.5	belt, PTO	49.5	73 w/ D	50.5	77.4	1,020	60	1.5-4.75
Encore Caliber EC52FX801V4	25.5	air	12	14	belt, PTO	47	65 w/ D	50.5	78	1,050	52	1-5.25
Encore Caliber EC60FX850V5X	27	air	12	14	belt, PTO	50	73 w/ D	54.5	79	1,110	60	1-5.25
Encore Prowler EP60FX921V5	31	air	12	14	belt, PTO	57	73 w/ D	57	91	1,410	60	1.5-5.5
Encore Prowler EP72FX1000V5	35	air	12	14	belt, PTO	63	86 w/ D	61	91	1,550	72	1.5-5.5
Exmark Lazer Z Diesel	n/a	liquid	12	15.5	PTO	n/a	72.8-101.2	n/a	96.3-97.3	1,915-2,584	60-96	1-5.5
Exmark Lazer Z E-Series	n/a	air	8-10	8	belt	n/a	64.8-72.8	n/a	79.2-83.1	n/a	48-72	1-5.5
Exmark Lazer Z S-Series	n/a	air	10	12	belt	n/a	59.6-84.9	n/a	79.2-86.1	1,142-1,305	48-72	1-5.5
Exmark Lazer Z X-Series	n/a	air	11.5	12	belt	n/a	72.8	n/a	83.1	1,215	60-72	1-5.5
Exmark Navigator	n/a	air	7	7.5	PTO	n/a	43.2-49.2	n/a	91.8-94.5	1,140-1,170	42-48	1-4
Exmark Radius S-Series	n/a	air	9	7	belt	n/a	59.5-72.3	n/a	81.7-82.2	873-941	48-60	1.5-5
Exmark Radius X-Series	n/a	air	10	7	belt	n/a	59.5-72.3	n/a	81.7-82.2	937-1,006	48-60	1.5-5
Ferris 400S	21.5-25	air	8	5.5	electric	n/a	n/a-62.5	n/a	80	n/a-753	44-48	1.5-4.5
Ferris IS600Z Series	18.5-25	air	10	5.5	electric	n/a-45.75	59-67	n/a	80	922-972	44-52	1.5-4.5
Ferris IS700Z Series	27	air	10	5.5	electric	51-52.63	66.75-75.75	n/a	81	1,059-1,113	52-61	1.5-5
Ferris ISX800 Series	24-27	air	10	5.5	electric	n/a	66.75-75.75	n/a	81	n/a	52-61	1.5-5
Ferris IS2100Z Series	25.5-29.5	air	10	5.5, 11	electric	50-56.25	67-78	n/a	82.5	1,223	52-61	1.5-5
Ferris IS2600Z Series	24	air	10	5.5, 11	electric	50-56.25	76.5	n/a	88	1,606	52-61	1.75-5
Ferris IS3200Z Series	32-37	air	12	5.5, 11	electric	60.75	76.75-85.75	n/a	84.5	1,443	61, 72	1.5-5
Grasshopper 124V-41	22	air	7.5	3	belt	n/a	44	47	76	700	41	1-5
Grasshopper 124V-48	22	air	8	6.5	belt	n/a	51	45	75	810	48	1-5
Grasshopper 125V-48	23	air	8	6.5	belt	n/a	51	45	75	810	48	1-5
Grasshopper 125V-52	23	air	8	6.5	belt	n/a	55	45	75	830	52	1-5
Grasshopper 125V-61	23	air	8	6.5	belt	n/a	64	48	78	880	61	1-5
Grasshopper 126V-52	25	air	8	6.5	belt	n/a	55	45	75	830	52	1-5
Grasshopper 126V-61	25	air	8	6.5	belt	n/a	64	48	78	880	61	1-5
Grasshopper 225V-G4-52	23	air	9	12	belt	n/a	55	46	76	980	52	1-5
Grasshopper 225V-G4-61	23	air	9	12	belt	n/a	64	46	79	1,050	61	1-5
Grasshopper 225-48	23	air	9	12	belt	n/a	51	50	75	1,050	48	1-5
Grasshopper 225-52	23	air	9	12	belt	n/a	55	50	75	1,070	52	1-5
Grasshopper 225-61	23	air	9.5	12	belt	n/a	64	51.5	76.5	1,120	61	1-5
Grasshopper 226V-G4-52	25	air	9	12	belt	n/a	55	46	76	960	52	1-5
Grasshopper 226V-G4-61	25	air	9.5	12	belt	n/a	64	46	79	1,030	61	1-5
Grasshopper 227V-G4 EFI-52	23	air	9	12	belt	n/a	55	46	76	980	52	1-5
Grasshopper 227V-G4 EFI-61	23	air	9.5	12	belt	n/a	64	46	79	1,050	61	1-5
Grasshopper 327 EFI-61	23	air	10.5	12	belt	n/a	64	51.5	79.5	1,190	61	1-5
Grasshopper 327 EFI-72	23	air	10.5	12	belt	n/a	75	55	83	1,280	72	1-5
Grasshopper 329B-52	28	air	10	12	belt	n/a	55	50	78	1,140	52	1-5
Grasshopper 329B-61	28	air	10.5	12	belt	n/a	64	51.5	79.5	1,190	61	1-5
Grasshopper 329B-72	28	air	10.5	12	belt	n/a	75	55	83	1,280	72	1-5
Grasshopper 335B-61	993	air	10.5	12	belt	n/a	64	51.5	79.5	1,190	61	1-5
Grasshopper 335B-72	993	air	10.5	12	belt	n/a	75	55	83	1,280	72	1-5
Grasshopper 321D-48	722	liquid	10	12	belt	n/a	51	51	80	1,210	48	1-5
Grasshopper 325D-52	31	liquid	10	12	belt	n/a	55	51	80	1,230	52	1-5
Grasshopper 325D-61	31	liquid	10.5	12	belt	n/a	64	52.5	82.5	1,360	61	1-5
Grasshopper 325D-72	31	liquid	10.5	12	belt	n/a	75	56	86	1,450	72	1-5
Grasshopper 329-52	30	liquid	10	12	belt	n/a	55	51	81	1,310	52	1-5
Grasshopper 329-61	30	liquid	10.5	12	belt	n/a	64	52.5	82.5	1,360	61	1-5
Grasshopper 329-72	30	liquid	10.5	12	belt	n/a	75	56	86	1,450	72	1-5
Grasshopper 400D-61	n/a	liquid	11	12	belt	n/a	64	54.5	84.5	1,450	61	1-5

ZERO-TURN MOWERS

Model	Horsepower	Cooling	Forward Speed (mph)	Fuel Capacity (gallons)	Belt/PTO	Width at Rear Wheels (inches)	Total Width (inches)	Wheel Base (inches)	Overall Length (inches)	Unit Weight (pounds)	Width of Cut (inches)	Height of Cut (inches)
Grasshopper 400D-72	n/a	liquid	11	12	belt	n/a	75	58	88	1,540	72	1-5
Grasshopper 432-61	30	liquid	11	12	belt	n/a	64	54.5	84.5	1,410	61	1-5
Grasshopper 432-72	30	liquid	11	12	belt	n/a	75	58	88	1,500	72	1-5
Grasshopper 524V-42	22	air	8	4	belt	12.5	45	47	59.5	935	42	2-4.5
Grasshopper 526V-52	25	air	8	4	belt	36	55	47	59.5	1,025	52	2-4.5
Grasshopper 623T w/ 52	21	air	8.5	4	PTO	12.5	55	46	100	1,120	48, 52	1.25-5
Grasshopper 725KT w/ 52	23	air	9	7.2	PTO	12.5	55	51.5	105.5	1,260	52, 61, 72	1.25-5
Grasshopper 727T EFI w/61	23	air	10	7.2	PTO	12.5	64	51.5	107.5	1,285	52, 61, 72	1.25-5
Grasshopper 729BT6 w/61	28	air	10	7.2	PTO	12.5	64	51.5	107.5	1,350	52, 61, 72	1.25-5
Grasshopper 735BT6 w/72	31	air	10	7.2	PTO	12.5	75	51.5	117.5	1,475	52, 61, 72	1.25-5
Grasshopper 721DT w/ 52	22	liquid	9	8	PTO	36	55	51.5	105.5	1,335	52	1.25-5
Grasshopper 725DT6 w/ 61	28	liquid	10	8	PTO	36	64	51.5	107.5	1,420	52, 61, 72	1.25-5
Grasshopper 729T6 w/ 61	30	liquid	10	7.2	PTO	36	64	51.5	107.5	1,420	52, 61, 72	1.25-5
Grasshopper 900D 1.3L	n/a	liquid	11	7.2	PTO	36	75	54.5	120.5	1,645	61, 72	1.25-5
Grasshopper 932 w/72	30	liquid	11	7.2	PTO	36	75	54.5	120.5	1,645	52, 61, 72	1.25-5
Gravely Pro-Turn 400	27-35	air	13	13.4	belt	n/a	675-87	n/a	80-82	1,326-1,453	52-72	1-5.5
Gravely Pro-Turn 200	25-31	air	13	13.4	belt	n/a	675-87	n/a	80-82	1,302-1,410	52-72	1.5-5.5
Gravely Pro-Turn 100	22-26	air	10	10	belt	n/a	62-75	n/a	78.5	1,062-1,136	48-60	1.5-5.5
Gravely Pro-Turn ZX	22-23.5	air	8.5	5	belt	n/a	63-75	n/a	81	924-953	48-60	1.5-5
Gravely Pro-Turn Z	26.5	air	7.5	5	belt	n/a	67-75	n/a	81	932-953	52-60	1.5-5
Gravely Compact-Pro	15.5-19	air	7	7.2	belt	n/a	48.3-56.9	n/a	75	737-789	34-44	1-5
Husqvarna M-ZT 52 B&S Endurance Commercial*	26	air	10	5	n/a	54	67	n/a	75.5	706	52	1.5-4.5
Husqvarna M-ZT 52 Kawasaki FS65IV*	22	air	10	5	n/a	54	67	n/a	75.5	760	52	1.5-4.5
Husqvarna M-ZT 61 B&S Endurance Commercial*	27	air	10	5	n/a	62.3	76	n/a	75.5	790	61	1.5-4.5
Husqvarna M-ZT 61 Kawasaki FS69IV*	23	air	10	5	n/a	62.3	76	n/a	75.5	790	61	1.5-4.5
Husqvarna M-ZT 61 Kohler Confidant EFI*	27	air	10	5	n/a	62.3	76	n/a	75.5	790	61	1.5-4.5
Husqvarna Z548 Kawasaki FX69IV*	22	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,147	48	1-5
Husqvarna Z554 Kawasaki FX75IV*	24.5	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,215	54	1-5
Husqvarna Z560 Kawasaki FX80IV*	25.5	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,172	60	1-5
Husqvarna Z560 Kohler Command Pro EFI*	27	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,172	60	1-5
Husqvarna Z554X Kawasaki FX80IV*	25.5	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,322	54	1-5
Husqvarna Z554X Kohler Command Pro EFI*	27	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,322	54	1-5
Husqvarna Z560X Kawasaki FX80IV*	27	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,398	60	1-5
Husqvarna Z560X Kawasaki FX850V*	31	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,398	60	1-5
Husqvarna Z560X Kohler Command Pro EFI*	31	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,398	60	1-5
Husqvarna Z572X Kawasaki FX92IV*	31	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,448	72	1-5
Husqvarna Z572X Kohler Command Pro EFI*	31	n/a	12	12	n/a	n/a	n/a	n/a	n/a	1,448	72	1-5
Hustler Raptor	15-24	air	6.5	3	belt	38.3-41	37.3-53.4	n/a	73	450-505	36-52	1.5-4.5
Hustler Raptor Limited	21.5-23	air	6.5	3	belt	41-45	44.4-53.4	n/a	73	510-533	42-52	1.5-4.5
Hustler Raptor SD	22-26	air	7.5	3	belt	38.3-46	37.3-61	n/a	73	577-675	36-60	1.5-4.5
Hustler Raptor FlipUp	23	air	7	3	belt	43.7	48.8-54.8	n/a	69.4	755-770	48-54	1.5-4.5
Hustler FasTrak	23-27	air	8	5	belt	47-52	49.1-61.1	n/a	76	835-865	48-60	1.5-4.5
Hustler FasTrak Rear Discharge	23	air	8	5	belt	47-52	48.85-54.85	n/a	76	840-860	48-54	1.5-4.5
Hustler FasTrak SDX	22-23.5	air	9	5	belt	47-52	49.1-61.1	n/a	73.6-75.92	862-916	48-60	1.5-4.5
Hustler X-One	23.5-29	air	10.5	11.7	belt	51-54.5	54.4-75.7	n/a	80.2-84	1,240-1,320	52-72	1-5.5
Hustler X-One Rear Discharge	23.5	air	10.5	11.7	belt	51-54.5	55.75-61.72	n/a	80.2	1,275-1,305	54-60	1-5.5
Hustler Super Z	27-35	air	14	11.7	belt	57-60	60-78	n/a	89-93	1,420-1,526	54-72	1-5.5
Hustler Super Z Rear Discharge	33	air	14	11.7	belt	57-60	66-78	n/a	91.5-93	1,566-1,626	60-72	1-5.5
Hustler Super Z HyperDrive	36-37	air	16	11.7	belt	57-60	66-78	n/a	89-93	1,536-1,596	60-72	1-5.5
Hustler Super Z HyperDrive Rear Discharge	37	air	16	11.7	belt	57-60	66-78	n/a	91.5-93	1,606-1,676	60-72	1-5.5
Hustler Super 104 Rear Discharge	36-37	air	11	12	belt	60.3	106.1	n/a	95.5	2,500	104	1-5.5
Hustler Z Diesel	25	liquid	11.5	14.4	belt	56	66-78	n/a	86.8-90.4	1,656-1,711	60-72	1-5.5
Hustler Z Diesel Rear Discharge	25	liquid	11.5	14.4	belt	56	66-78	n/a	86.8-90.4	1,766-1,816	60-72	1-5.5
Jacobsen ZT400 2248KW*	22	air	9	6.8	belt	n/a	49.2	n/a	81.3	1,104	48	1-5
Jacobsen ZT400 2454KW*	24	air	9	6.8	belt	n/a	55.4	n/a	81.3	1,114	54	1-5
Jacobsen ZT400 2460KW*	24	air	9	6.8	belt	n/a	61.9	n/a	81.3	1,121	60	1-5
Jacobsen ZT600 2248KW*	22	air	10	6.8	belt	n/a	49.2	n/a	81.3	1,116	48	1.5-4.5
Jacobsen ZT600 2548KOE*	25	air	10	6.8	belt	n/a	49.2	n/a	81.3	1,121	48	1-5
Jacobsen ZT600 2454KW*	24	air	10	6.8	belt	n/a	55.4	n/a	81.3	1,132	54	1-5
Jacobsen ZT600 2554KOE*	25	air	10	6.8	belt	n/a	55.4	n/a	81.3	1,138	54	1-5
Jacobsen ZT600 2460KW*	24	air	10	6.8	belt	n/a	61.9	n/a	81.3	1,140	60	1-5
Jacobsen ZT600 2560KOE*	25	air	10	6.8	belt	n/a	61.9	n/a	81.3	1,144	60	1-5
Jacobsen ZT900 2754KOE*	27	air	12	8	belt	n/a	59.6	n/a	88.5	1,317	54	1-5
Jacobsen ZT900 2754KW*	27	air	12	8	belt	n/a	59.6	n/a	88.5	1,306	54	1-5
Jacobsen ZT900 2760KOE*	27	air	12	8	belt	n/a	66.1	n/a	88.5	1,333	60	1-5
Jacobsen ZT900 2760KW*	27	air	12	8	belt	n/a	66.1	n/a	88.5	1,322	60	1-5
Jacobsen ZT1000 3160KOE*	31	air	14	10	belt	n/a	66.1	n/a	87.1	1,378	60	1-5
Jacobsen ZT1000 3160KW*	31	air	14	10	belt	n/a	66.1	n/a	87.1	1,386	60	1-5
Jacobsen ZT1000 3366KOE*	33	air	14	10	belt	n/a	72.5	n/a	87.1	1,403	66	1-5
Jacobsen ZT1000 3566KW*	35	air	14	10	belt	n/a	72.5	n/a	87.1	1,409	66	1-5
Jacobsen ZT1000 3372KOE*	33	air	14	10	belt	n/a	78.7	n/a	89	1,442	72	1-5
Jacobsen ZT1000 3572KW*	35	air	14	10	belt	n/a	78.7	n/a	89	1,426	72	1-5
Jacobsen ZT1000 2960KOE*	29	air	14	7	belt	n/a	66.1	n/a	87.1	1,334	60	1-5
Jacobsen ZT1000 2972KOE*	29	air	14	7	belt	n/a	78.7	n/a	89	1,408	72	1-5
John Deere Z915E ZTrak	25	air	10	11.5	PTO	n/a	n/a	n/a	84	1,100-1,178	48-60	1-5.5

MOWER COMPARISON CHART

ZERO-TURN MOWERS

Model	Horsepower	Cooling	Forward Speed (mph)	Fuel Capacity (gallons)	Belt/PTO	Width at Rear Wheels (inches)	Total Width (inches)	Wheel Base (inches)	Overall Length (inches)	Unit Weight (pounds)	Width of Cut (inches)	Height of Cut (inches)
John Deere Z920M	23.5	air	10	11.5	PTO	n/a	n/a	n/a	84	1,220-1,283	48-60	1-5.5
John Deere Z925M EFI Flex Fuel	25	air	10	11.5	PTO	n/a	n/a	n/a	84	1,198-1,291	54-60	1-5.5
John Deere Z930M	25.5	air	10	11.5	PTO	n/a	n/a	n/a	84	1,275-1,365	54-60	1-5.5
John Deere Z945M EFI	27	air	10	11.5	PTO	n/a	n/a	n/a	84	1,275-1,365	60	1-5.5
John Deere Z950M	27	air	10	11.5	PTO	n/a	n/a	n/a	84	1,275-1,365	60-72	1-5.5
John Deere Z955M EFI	29	air	10	11.5	PTO	n/a	n/a	n/a	84	1,275-1,365	60-72	1-5.5
John Deere Z960M	31	air	10	11.5	PTO	n/a	n/a	n/a	84	1,252-1,340	60-72	1-5.5
John Deere Z930R	25.5	air	12	11.5	PTO	n/a	n/a	n/a	84	1,273-1,310	54-60	1-5.5
John Deere Z950R	27	air	12	11.5	PTO	n/a	n/a	n/a	84	1,292-1,340	60-72	1-5.5
John Deere Z970R	35	air	12	11.5	PTO	n/a	n/a	n/a	84	1,336-1,345	60-72	1-5.5
John Deere Z994R Diesel	24.7	liquid	10.5	11.5	PTO	12	68-74	n/a	88.6	1,660-1,720	54-60	1-5.5
John Deere Z997R	37.4	liquid	11.5	11.5	PTO	n/a	n/a	n/a	60-96	1,774	60-72	1.5-5
Lastec 4520	45	liquid	9	18	belt	71	132	68	90	2,708	120	1-4.5
Lastec 3300	33	liquid	9	12	belt	63	112	67	85	2,142	100	1-4.5
Lastec 2561C	25	air	10	12	belt	58	73	64	80	1,459	61	1.5-4.5
Lastec 2761C	27	air	10	12	belt	58	73	64	80	1,459	61	1.5-4.5
Lastec 2561D	24.8	liquid	10	12	belt	58	73	64	80	1,513	61	1.5-4.5
Lastec 2773C	27	air	10	12	belt	58	73	64	80	1,598	73	1.5-4.5
Lastec 3573C	35	air	10	12	belt	58	73	64	80	1,598	73	1.5-4.5
Lastec 2573D	24.8	liquid	10	12	belt	58	73	64	80	1,652	73	1.5-4.5
Lastec 3873C	38	air	10	12	belt	58	73	64	80	1,598	73	1.5-4.5
Lastec 2661R	26	air	8	6	belt	45	62-5/8	47	77-1/8	802	61	1-4.5
Lastec 2652R	26	air	8	6	belt	45	53-5/8	47	77-1/8	768	52	1-4.5
Mean Green Mowers CXC-52	36	yes	9	electric		49	54	52	74	780-1,000	52	1-5.5
Mean Green Mowers CSR-60	36	yes	9	electric		49	61	52	74	800-1,020	60	1-5.5
Scag Turf Tiger II - Kohler Command EFI	26	air	12	12	PTO	51	64.5	n/a	83	1,420	52	1-6
Scag Turf Tiger II - Kohler Command EFI	26	air	12	12	PTO	56	73.5	n/a	88	1,540	61	1-6
Scag Turf Tiger II - Kawasaki DFI	31	liquid	12	12	PTO	56	73.5	n/a	88	1,515	61	1-6
Scag Turf Tiger II - Briggs Vanguard Big Block	35	air	12	12	PTO	56	73.5	n/a	88	1,515	61	1-6
Scag Turf Tiger II - Briggs Vanguard Big Block EFI	37	air	12	12	PTO	56	73.5	n/a	88	1,515	61	1-6
Scag Turf Tiger II - Kohler Command EFI	26	air	12	12	PTO	56	83	n/a	92	1,600	72	1-6
Scag Turf Tiger II - Kawasaki DFI	26	liquid	12	12	PTO	56	83	n/a	92	1,570	72	1-6
Scag Turf Tiger II - Kawasaki DFI	31	liquid	12	12	PTO	56	83	n/a	92	1,575	72	1-6
Scag Turf Tiger II - Briggs Vanguard Big Block	35	air	12	12	PTO	56	83	n/a	92	1,575	72	1-6
Scag Turf Tiger II - Briggs Vanguard Big Block EFI	37	air	12	12	PTO	56	83	n/a	92	1,575	72	1-6
Scag Turf Tiger Kubota Diesel	25	liquid	12	11	PTO	56	73.5	n/a	87.5	1,665	61	1-6
Scag Turf Tiger Kubota Diesel	25	liquid	12	11	PTO	56	83	n/a	90	1,725	72	1-6
Scag Turf Tiger II Propane - Kohler LP EFI	25	liquid	12	11	PTO	51	64.5	n/a	83	1,505	52	1-6
Scag Turf Tiger II Propane - Kohler LP EFI	25	liquid	12	11	PTO	56	73.5	n/a	88	1,625	61	1-6
Scag Cheetah - Kawasaki FX	22	air	10.5	10	belt	46.25	60.5	n/a	81.75	1,075	48	1-5.5
Scag Cheetah - Kawasaki FX	23	air	10.5	10	belt	49	64.5	n/a	81.75	1,080	52	1-5.5
Scag Cheetah - Kohler Command EFI	25	air	10.5	10	belt	49	64.5	n/a	81.75	1,080	52	1-5.5
Scag Cheetah - Kawasaki FX	27	air	16, 12	15	belt	55.25	73.5	n/a	85.5	1,350	61	1.25-5
Scag Cheetah - Kohler Command EFI	31	air	16, 12	16	belt	55.25	73.5	n/a	86.5	1,365	61	1.25-6
Scag Cheetah - Kawasaki FX	31	air	16, 12	15	belt	55.25	73.5	n/a	85.5	1,365	61	1.25-5
Scag Cheetah - Kohler Command EFI	35	air	16, 12	15	belt	55.25	73.5	n/a	85.5	1,350	61	1.25-5
Scag Cheetah - Briggs Vanguard Big Block EFI	37	air	16, 12	15	belt	55.25	73.5	n/a	85.5	1,350	61	1.25-5
Scag Cheetah - Kawasaki FX Rear Discharge	31	air	16, 12	15	belt	55.25	63.5	n/a	85.5	1,365	61	1.25-5
Scag Cheetah - Kawasaki FX	31	air	16, 12	15	belt	55.25	83	n/a	91	1,400	72	1.25-5
Scag Cheetah - Kohler Command EFI	35	air	16, 12	16	belt	55.25	83	n/a	92	1,400	72	1.25-6
Scag Cheetah - Briggs Vanguard Big Block EFI	37	air	16, 12	16	belt	55.25	83	n/a	92	1,387	72	1.25-6
Scag Tiger Cat II - Kawasaki FX	22	air	12	9.5	belt	47	60.5	n/a	81	1,160	48	1-5
Scag Tiger Cat II - Kohler Command	23	air	12	9.5	belt	47	60.5	n/a	81	1,175	48	1-5
Scag Tiger Cat II - Kawasaki FX	22	air	12	9.5	belt	48.75	64.5	n/a	81.5	1,175	52	1-5
Scag Tiger Cat II - Kohler Command EFI	25	air	12	9.5	belt	48.75	64.5	n/a	81.5	1,180	52	1-5
Scag Tiger Cat II - Kawasaki FX	23	air	12	9.5	belt	51.5	73.5	n/a	85.5	1,255	61	1-5
Scag Tiger Cat II - Kawasaki FT EFI	26	air	12	9.5	belt	51.5	73.5	n/a	85.5	1,257	61	1-5
Scag Tiger Cat II - Kohler Command EFI	29	air	12	9.5	belt	51.5	73.5	n/a	85.5	1,260	61	1-5
Scag Patriot - Kawasaki FX	22	air	10	6.5	belt	47.5	64.5	n/a	73	840	52	1-4.5
Scag Patriot - Kohler Command Pro	23	air	10	6.5	belt	47.5	64.5	n/a	73	911	52	1-4.5
Scag Patriot - Kawasaki FX	23	air	8.5	6.5	belt	50.5	73.5	n/a	79	900	61	1-4.5
Scag Patriot - Kohler Command Pro	25	air	8.5	6.5	belt	50.5	73.5	n/a	79	956	61	1-4.5
Scag Freedom Z - Kohler 7000 Series	22	air	8	6.5	belt	47.5	60.5	n/a	73	745	48	1-4.5
Scag Freedom Z - Kohler 7000 Series	24	air	8	6.5	belt	47.5	64.5	n/a	73	765	52	1-4.5
Snapper Pro S40 Series	28	air	10	8	electric	n/a	65.77	n/a	67.72	921, 998	52-61	1.5-4.5
Snapper Pro S50xt Series	19-25	air	8	4, 8	electric	36.5-n/a	52.64	n/a	69	688-724	36-48	1.5-4.5
Snapper Pro S125xt Series	23-27	air	10	5.5	electric	51-53	67.5, 77	n/a	81	1,059, 1,113	52-61	1.5-5
Snapper Pro S150xt Series	23.5	air	10	10	electric	47	68	n/a	78	1,141	52	1.5-5
Snapper Pro S200xt Series	26-37	air	10	11	electric	57.25-n/a	76	n/a	79	1,190	61-72	1.5-6
Toro Titan HD 2000 Series Kohler 74463	25	air	9	7	belt	n/a	63.25-75.25	n/a	82-84.25	870-1,012	48-60	1.5-5
Toro Titan HD 2000 Series Toro V-Twin	24.5	air	9	7	belt	n/a	63.25-75.25	n/a	82-84.25	870-1,012	48-60	1.5-5
Toro Titan HD 2500 Series Kawasaki	20.5-23.5	air	10	7	belt	n/a	63.25-75.25	n/a	82-83	937-1,006	48-60	1.5-5
Toro Z Master 3000 Series Kohler	25	air	8.5	8	belt	n/a	67.6	n/a	79.2	1,085	52	1-5.5
Toro Z Master 3000 Series Kawasaki	25.5	air	10	8	belt	n/a	75.7	n/a	83.1	1,165	60	1-5.5
Toro Z Master 5000 Series Kohler EFI	23-26.5	air	10	12	belt	n/a	63.6-78.3	n/a	79.2-83	1,120-1,335	48-72	1-5.5
Toro Z Master 6000 Series Kawasaki	23.5	air	10-11.5	12	belt	n/a	63.6-87.6	n/a	79.2-86.1	1,160-1,334	48-72	1-5.5
Toro Z Master 6000 Series Kohler EFI	26.5-34	air	11.5	12	belt	n/a	75.7-87.6	n/a	83.1-86.1	1,254-1,369	60-72	1-5.5

ZERO-TURN MOWERS

Model	Horsepower	Cooling	Forward Speed (mph)	Fuel Capacity (gallons)	Belt/ PTO	Width at Rear Wheels (inches)	Total Width (inches)	Wheel Base (inches)	Overall Length (inches)	Unit Weight (pounds)	Width of Cut (inches)	Height of Cut (inches)
Toro Z Master 7000 Kubota	25	liquid	11.2	12	belt	n/a	68-88	n/a	79.5-84.5	1,443-1,543	52-72	1-5.5
Toro Z Master 7500-D Yanmar	25-37	liquid	12.5	12.5	belt	n/a	75.7-87.6	n/a	96.6-100.68	2,055-2,650	60-96	1-5.5
Walker S14i	14	air	6.5	1.9	MBTC+BB	n/a	43.25	42.25	87	786	36-42	1-4
Walker S18	18	air	7.4	4	MBTC+BB	n/a	49	42.25	89.25	827	36-48	1-4
Walker C19/C19i	19	air	6.5	4	MBTC+BB	n/a	43.25	41	89.25	925-930	36-62	1-4
Walker T23/T25i	23-25	air	6.5	4.7	MBTC+BB	n/a	49	41	93	1,014-1,018	36-74	1-4
Walker T30i	30	liquid	7	4.7	MBTC+BB	n/a	49	41	93	1,117	36-74	1-4
Walker D21d	20	liquid	6.5	4.7	MBTC+BB	n/a	49	41	93	1,178	36-74	1-4
Walker B18/B19	18-19	air	8	4	MBTC+BB	n/a	49	42.25	90.75	790-792	36-62	1-4
Walker B23i/B25p	23-25	air	8	4-7.9	MBTC+BB	n/a	49	42.25	90.75	800-831	36-74	1-4
Walker H24d/H27i/H37i/H38i	23.4-38	liquid/air	10	9.4	MBTC+BB	n/a	66	46.375	107	1,215-1,463	52-74	1-5
Worldlawn Viper WYZ46XS20BS	20	air	7	4	belt, PTO	33.8	55 w/ D	44	72	544	46	1.5-4.5
Worldlawn Viper WYZ46XS22KW	21.5	air	7	4	belt, PTO	33.8	55 w/ D	44	72	544	46	1.5-4.5
Worldlawn Viper WYZ50XL26BS	26	air	7	4	belt, PTO	33.8	59 w/ D	44	72	590	50	1.5-4.5
Worldlawn Viper WYZ50XL24KW	23	air	7	4	belt, PTO	33.8	59 w/ D	44	72	590	50	1.5-4.5
Worldlawn Viper WYZ60XL26BS	26	air	7	4	belt, PTO	33.8	68.5 w/ D	44	72	637	60	1.5-4.5
Worldlawn Viper WYZ60XL24KW	23	air	7	4	belt, PTO	33.8	68.5 w/ D	44	72	637	60	1.5-4.5
Worldlawn Gater WYZ34FS600V	18	air	8	6	belt, PTO	33.5	45 w/ D	43	73	770	34	1-4.5
Worldlawn Diamondback WYDB48FR69IV32	23	air	9	9.5	belt, PTO	47	60 w/ D	50.5	77.4	920	48	1.5-4.75
Worldlawn Diamondback WYDB52FR69IV32	23	air	9	9.5	belt, PTO	49.5	65.5 w/ D	50.5	77.4	950	52	1.5-4.75
Worldlawn Diamondback WYDB60FR730V32	24	air	9	9.5	belt, PTO	49.5	73 w/ D	50.5	77.4	1,020	60	1.5-4.75
Worldlawn Diamondback XE WYDB52FX69IV34E	22	air	10	9.5	belt, PTO	49.5	65.5 w/ D	50.5	77.4	950	52	1.5-4.75
Worldlawn Diamondback XE WYDB60FX730V34E	23.5	air	10	9.5	belt, PTO	49.5	73 w/ D	50.5	77.4	1,020	60	1.5-4.75
Worldlawn Cobra WYZ4824KWH	22	air	10	10	belt, PTO	39	60 w/ D	48.6	63	1,026	48	1.5-4.5
Worldlawn Cobra WYZ5224KWH	22	air	10	10	belt, PTO	39	65 w/ D	48.6	63	1,059	52	1.5-4.5
Worldlawn Cobra WYZ5227KWH	24.5	air	10	10	belt, PTO	39	65 w/ D	48.6	63	1,056	52	1.5-4.5
Worldlawn Cobra WYZ6027KWH	24.5	air	10	10	belt, PTO	39	73 w/ D	48.6	63	1,105	60	1.5-4.5
Worldlawn King Cobra WYK52FX801V5	25.5	air	12	14	belt, PTO	47	65 w/ D	50.5	78	1,050	52	1.5-5.25
Worldlawn King Cobra WYK60FX850V5X	27	air	12	14	belt, PTO	50	73 w/ D	54.5	79	1,110	60	1.5-5.25
Worldlawn King Cobra WYK60FX921V5S	31	air	12	14	belt, PTO	50	73 w/ D	54.5	79	1,110	60	1.5-5.25
Worldlawn Python WYP72FX1000V5	35	air	12	14	belt, PTO	63	86 w/ D	61	91	1,550	72	1.5-5.5
Wright Z (with ROPS) 52	27	air	13	13.5	belt	n/a	53	n/a	78	1,213	52	1.5-5.5
Wright Z (with ROPS) 61	27	air	13	13.5	belt	n/a	62	n/a	78	1,235	61	1.5-5.5
Wright ZTO (with ROPS) 48	23.5	air	10.5	13.5	belt	n/a	49	n/a	78	1,080	48	1.5-5.5
Wright ZTO (with ROPS) 52	23.5	air	10.5	13.5	belt	n/a	53	n/a	78	1,102	52	1.5-5.5
Wright ZTO (with ROPS) 61	23.5	air	10.5	13.5	belt	n/a	62	n/a	78	1,157	61	1.5-5.5
Wright ZTO (with ROPS) 52	23.5	air	10.5	13.5	belt	n/a	53	n/a	78	1,102	52	1.5-5.5

*last updated in 2017; D: deflector; MBTC+BB: manual belt tightener clutch and band brake; PTO: power take-off

STAND-ON MOWERS

Model	Horsepower	Width of Cut (inches)	Height of Cut (inches)	Forward Speed (mph)	Cooling	Fuel Capacity (gallons)	Overall Length (inches)
Bob-Cat QuickCat 4000	19-23.5	36-61	1.5-4.5	9-10.5	air	5.1-6.5	64-67
Exmark Staris E-Series	n/a	32-44	1.5-5	8	air	5	58.1-61.7
Exmark Staris S-Series	n/a	48-60	1.5-5	10	air	10	69.3-70.5
Hustler Super S	15-25	36-60	1.5-5.5	8-9	air	6.5-7.3	63.5-66.5
John Deere 636M	18.5	36	1.25-5	8.2	forced air	5.5	62
John Deere 648M	22	48	1.25-5	8.2	forced air	5.5	59.75
John Deere 652M	22	52	1.25-5	8.2	forced air	5.5	59.75
John Deere 648R	22	48	1.5-5	9.6	forced air	5.6	66
John Deere 652R	23.5	52	1.5-5	9.6	forced air	5.6	66
John Deere 652R EFI	20	52	1.5-5	9.5	forced air	5.6	66
John Deere 661R	23.5	61	1.5-5	9.6	forced air	5.6	68
John Deere 661R EFI	25	61	1.5-5	9.6	forced air	5.6	68
John Deere 652E	22	52	1.25-5	9.5	forced air	5.6	66
Toro GrandStand 74534	15	36	1-5	8	air	7.8	74
Toro GrandStand 74536	15	40	1-5	8	air	7.8	70
Toro GrandStand 74504	22	48	1.5-5	10	air	10.5	75
Toro GrandStand 74505	22	52	1.5-5	10	air	10.5	75
Toro GrandStand 74518	23	48	1.5-5	10	air	10.5	75
Toro GrandStand 74519	25	52	1.5-5	10	air	10.5	75
Toro GrandStand 74513	25	60	1.5-5	10	air	10.5	79
Toro GrandStand Multi Force 74523	26.5	60	1.5-5	10	air	10.5	79
Toro GrandStand Multi Force 74529	26.5	52	1.5-5	10	air	10.5	75
Toro GrandStand Multi Force 74527	26.5	n/a	1.5-5	10	air	10.5	75
Wright WSB48/52	22	48, 52	2-5	7	air	5	65.75, 65.75
Wright WS32/36	15, 18.5	32, 36	1.75-4.5	7.5	air	5.5	58, 60
Wright WS48	23.5	48	1.25-5	9.5	air	5.5	59.25
Wright WS52	23.5	52	1.25-5	9.5	air	5.5	59.87
Wright WS61	23.5	61	1.25-5	9.5	air	5.5	62.5
Wright WSTN36/42/48/52	19, 20.2, 22.1, 23.5	36, 42, 48, 52	1-5	8.2	air	5.5	62, 70, 59.75, 59.75
Wright WSPN36/48/52	19, 23.5	36, 48, 52	1-5	8.2	air	5.5	65.50, 63.75, 63.75
Wright WSTX48/52/61	23.5, 26.5, 28	48, 52, 61	1.5-5.5	9.5	air	8	65, 66, 67
Wright WSPX48/52/61	23.5	48, 52, 62	1.5-5.5	9.5	air	8	68, 68, 70.50
Wright WSK52/61/72	27, 29, 37	52, 61, 72	1.5-5.5	12.5	air	15.5	67, 69.50, 72